

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

Claim 1 (Currently Amended): An electric connection box comprising:

a wiring board configured to have a first electric wire arranged on an obverse surface and configured to have a second electric wire arranged on a reverse surface;

an obverse cover arranged on the obverse surface of the wiring board including a first connector cavity;

a reverse cover arranged on the reverse surface of the wiring board including a second connector cavity; and

a press contact terminal including:

a press contact edge portion configured to be pressed onto one of said first or second electric wires, and

a tab portion erected in the first or second connector cavity, wherein the tab portion of the press contact terminal further includes:

a main body located in the obverse cover and the reverse cover,

a first tab portion provided on a first side of the main body and positioned so that a portion of the first tab portion is protruded from the obverse cover arranged on the wiring board,

a second tab portion provided on a second side of the main body and positioned so that a portion of the second tab portion is protruded from the reverse cover arranged on the wiring board,

a first groove provided between the main body and the first tab portion, and

a second groove provided between the main body and the second tab portion,

wherein the press terminal is configured to selectively have a first configuration where both the first tab portion and the second tab portion are protruded, a second configuration where only the first tab portion is protruded while the second tab portion is separated from the main body by cutting the second groove, and a third configuration where only second tab portion is protruded while the first tab portion is separated from the main body by cutting the first groove

~~wherein the press contact terminal is configured to press the press contact edge portion onto said one of said first or second electric wires from a side where said one of said first or second electric wires is arranged, thereby selectively erecting the tab portion on at least one of said obverse surface or said reverse surface.~~

Claim 2 (Canceled).

Claim 3 (Currently Amended): The electric connection box of claim 1, wherein the main body, the first tab portion and the second tab portion of the press terminal are arranged in a line one another, and the press contact edge portion is provided in a plane which is arranged at a right angle to the main body ~~the press contact edge portion is arranged at a right angle to the tab portion.~~

Claim 4 (Currently Amended): The electric connection box of claim 1, wherein said first connector cavity is arranged at a position relative to one of said press contact terminals on said obverse surface, and said second connector cavity is arranged at a same position relative to said one of said press contact terminals on said reverse surface.

Claim 5 (New): The electric connection box of Claim 1, wherein the press contact terminal further includes an electric wire slit groove in the press contact edge portion.

Claim 6 (New): The electric connection box of Claim 5, wherein an edge of said electric wire slit groove is configured to cut an insulating outer sheath of an electric wire inserted into the electric wire slit groove.